



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery

**INDUCTION
MELTING
&
CASTING
FURNACES**


THE

LITTLE

MASTER



Series



* WEIGHT ONLY 37 Kgs.

250 Gms. & 500 Gms.
MODELS

FEATURES:

- SMALL, SAFE, TABLE-TOP MODEL
- EASY TO INSTALL, PLUG & PLAY MODEL
- LOW POWER CONSUMPTION
- QUICK FIRST MELTING
- PERFECT MIXING OF ALLOYS DUE TO AUTO STIRRING
- REDUCE METAL LOSS
- ECONOMICAL & EFFICIENT IN OPERATION
- FLAMELESS & SILENT IN WORKING
- AVAILABLE IN COOLING OPTION

TABLE-TOP MODEL
INDUCTION MELTING MACHINE

Specifications/Models	250 Gms Gold	500 Gms Gold
Power Supply	Single Phase	Single Phase
Voltage	230 V AC	230 V AC
Absorbed Power	3.5 KW	4 KW
Maximum Temperature	1200° C	1200° C
Melting Time	6 Min	7 Min
Water Cooling System	Cooler	Cooler
Cooling Water Temperature	NA	NA
Chiller Capacity	NA	NA
Water Flow	5 LPM	5 LPM



CALL NOW

+91 75674 74350

Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump, Gondal Road, Rajkot - 360 004. Gujarat (India)

mpower.induction@gmail.com

www.maxpowerinduction.in

+91 99984 77474, +91 84699 61548



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery



INDUCTION MELTING MACHINE FOR GOLD & SILVER



FEATURES:

- SMALL, SAFE, EASY MODEL
- EASY TO INSTALL
- LOW POWER CONSUMPTION
- QUICK FIRST MELTING
- PERFECT MIXING OF ALLOYS DUE TO AUTO STIRRING
- REDUCE METAL LOSS
- ECONOMICAL & EFFICIENT IN OPERATION
- FLAMELESS & SILENT IN WORKING

Specifications/Models	500 Gms Gold	500 Gms Gold	1 Kg Gold	1 Kg Gold	2 Kg Gold	2 Kg Gold
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase	Single Phase	Single Phase
Voltage	230 V AC	230 V AC	230 V AC	230 V AC	230 V AC	230 V AC
Absorbed Power	4 KW	4 KW	5 KW	5 KW	6 KW	6 KW
Maximum Temperature	1200° C	1200° C	1200° C	1200° C	1200° C	1200° C
Melting Time	6 Min	6 Min	7 Min	7 Min	8 Min	8 Min
Water Cooling System	Chiller	Cooler	Chiller	Cooler	Chiller	Cooler
Cooling Water Temperature	20°-30° C	NA	20°-30° C	NA	20°-30° C	NA
Chiller Capacity	0.5 Ton	NA	0.5 Ton	NA	0.5 Ton	NA
Water Flow	5 LPM	5 LPM	5 LPM	5 LPM	5 LPM	5 LPM



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery

INDUCTION MELTING MACHINE FOR GOLD & SILVER



FEATURES:

- EASY AND EFFICIENT IN OPERATION
- IDEAL FOR MELTING GOLD & SILVER
- LIMIT & FAILURE DIAGNOSTICS
- HEAT AND POWER LOSS REDUCED
- LESS POWER CONSUMPTION
- REDUCE METAL LOSS
- ENERGY SAVING FLAMELESS FURNACE
- PERFECT MIXING OF ALLOYS DUE TO AUTO STIRRING
- WORK FOR 24 HOURS NON-STOP



Specifications/Models	2 Kg Gold	4 Kg Gold	5 Kg Gold
Power Supply	3 Phase	3 Phase	3 Phase
Voltage	440 V AC	440 V AC	440 V AC
Absorbed Power	6 KW	7 KW	8 KW
Maximum Temperature	1200° C	1200° C	1200° C
Melting Time	6 Min	6 Min	7 Min
Water Cooling System	Chiller	Chiller	Chiller
Cooling Water Temperature	20°-30° C	20°-30° C	20°-30° C
Chiller Capacity	0.75 Ton	0.75 Ton	0.75 Ton
Water Flow	30 LPM	30 LPM	30 LPM



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548




MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery





FEATURES:

INDUCTION MELTING MACHINE FOR GOLD & SILVER

- EASY & SAFE OPERATION
- EASY TO INSTALL
- IDEAL FOR MELTING OF GOLD & SILVER
- HIGHLY EFFICIENT IGBT BASED SOLID STATE GENERATOR
- LOW MAINTENANCE
- DISPLAY SYSTEM FOR PARAMETERS & FAULTS
- FLAMELESS SILENT OPERATION
- AUTOMATIC TEMPERATURE CONTROL
- MINIMUM POWER CONSUMPTION
- GEAR TYPE SMOOTH TILTING MECHANISM

Specifications/Models	15 Kg Silver	20 Kg Silver	30 Kg Silver
Power Supply	3 Phase	3 Phase	3 Phase
Voltage	440 V AC	440 V AC	440 V AC
Absorbed Power	12 KW	15 KW	20 KW
Maximum Temperature	1200° C	1200° C	1200° C
Melting Time	20 Min	25 Min	30 Min
Water Cooling System	Chiller	Chiller	Chiller
Cooling Water Temperature	20°-30° C	20°-30° C	20°-30° C
Chiller Capacity	1.5 Ton	2 Ton	2.5 Ton
Water Flow	30 LPM	30 LPM	30 LPM



Specifications/Models	10 Kg Gold	15 Kg Gold	20 Kg Gold	25 Kg Gold	30 Kg Gold
Power Supply	3 Phase	3 Phase	3 Phase	3 Phase	3 Phase
Voltage	440 V AC	440 V AC	440 V AC	440 V AC	440 V AC
Absorbed Power	10 KW	15 KW	20 KW	25 KW	30 KW
Maximum Temperature	1200° C	1200° C	1200° C	1200° C	1200° C
Melting Time	10 Min	12 Min	15 Min	20 Min	25 Min
Water Cooling System	Chiller	Chiller	Chiller	Chiller	Chiller
Cooling Water Temperature	20°-30° C	20°-30° C	20°-30° C	20°-30° C	20°-30° C
Chiller Capacity	1 Ton	1 Ton	1.5 Ton	1.5 Ton	2 Ton
Water Flow	30 LPM	30 LPM	30 LPM	30 LPM	30 LPM



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery

INDUCTION GRANULATING MACHINE FOR GOLD, SILVER, COPPER & ALLOYS



FEATURES:

- EASY & SAFE OPERATION
- EASY TO INSTALL
- IDEAL FOR MELTING OF GOLD & SILVER
- HIGHLY EFFICIENT IGBT BASED SOLID STATE GENERATOR
- LOW MAINTENANCE
- DISPLAY SYSTEM FOR PARAMETERS & FAULTS
- FLAMELESS SILENT OPERATION
- AUTOMATIC TEMPERATURE CONTROL
- MINIMUM POWER CONSUMPTION
- BOTTOM POURING GRANULING SYSTEM WITH WIRE MESH FOR COLLECTION
- UNIFORM GRANULING DUE TO WATER CIRCULATION
- TROLLEY MOUNTED UNIT FOR EASY MOVEMENT OF MATERIAL

**5 Kg.
To
100 Kg.**



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery



INDUCTION CASTING MACHINE FOR GOLD/SILVER & IMITATION JEWELLERY



FEATURES:

- EASY AND EFFICIENT IN OPERATION
- FASTER & ACCURATE CASTING
- LIMIT & FAILURE DIAGNOSTICS
- HEAT AND POWER LOSS REDUCED
- LESS POWER CONSUMPTION
- ZERO METAL LOSS - HIGH PRODUCTIVITY
- ENERGY SAVING FLAMELESS FURNACE
- PERFECT MIXING OF ALLOYS DUE TO AUTO STIRRING
- WORK FOR 24 HOURS NON-STOP

Specifications/Models	1 Kg Gold	2 Kg Gold	3 Kg Gold
Power Supply	Single Phase	3 Phase	3 Phase
Voltage	230 V AC	440 V AC	440 V AC
Absorbed Power	7 KW	8 KW	10 KW
Maximum Temperature	1200° C	1200° C	1200° C
Melting Time	6 Min	6 Min	8 Min
Water Cooling System	Chiller	Chiller	Chiller
Cooling Water Temperature	20°-30° C	20°-30° C	20°-30° C
Chiller Capacity	0.75 Ton	1 Ton	1 Ton
Water Flow	30 LPM	30 LPM	30 LPM
Vacuum Pump	500 LPM	650 LPM	650 LPM



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548

THE SMALLEST TABLETOP CASTING MACHINE

POWDER - MELT - CAST

3 IN 1

**1 Kg., 2 Kg. & 3 Kg.
MODELS**

FEATURES:

- SMALL, SAFE, TABLE-TOP MODEL
- EASY TO INSTALL, PLUG & PLAY MODEL
- LOW POWER CONSUMPTION
- QUICK MELTING
- POWERFUL POWDER VACUUM
- ACCURATE CASTING
- ECONOMICAL & EFFICIENT IN OPERATION



* WEIGHT ONLY 21 Kgs.

INCLUDED ACCESSORIES

			
STAINLESS STEEL CASTING FLASK	MELTING CRUCIBLE	VACUUM TOP	STAINLESS STEEL RING
			
VACUUM PIPE	RUBBER CAP	CRUCIBLE TONG	POWER CABLE



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548

INDUCTION BASED GOLD/SILVER
BAR CASTING MACHINE



FEATURES:

- EASY, EFFICIENT & USER FRIENDLY IN OPERATION
- FASTER & ACCURATE CASTING OF GOLD/SILVER BARS
- LIMIT & FAILURE DIAGNOSTICS ON DISPLAY
- HEAT AND POWER LOSS REDUCED
- UNIFORM METAL DISTRIBUTION DUE TO UNIFORM HEATING OF GRAPHITE DIE
- ZERO METAL LOSS - HIGH PRODUCTIVITY
- ENERGY SAVING FLAMELESS FURNACE
- OXYGEN FREE ATMOSPHERE DUE TO INERT GAS IN VACUUM CHAMBER
- SMOOTH & CLEAR MIRROR FINISH SURFACE OUTPUT
- NON STOP 24 HOURS OPERATION

Specifications/Models	100 gms. X 20 1 Kg. X 4	100 gms. X 4 1 Kg. X 1
Power Supply	3 Phase	3 Phase
Voltage	440 V AC	440 V AC
Absorbed Power	45 KW	20 KW
Protective / Inert Gas	Nitrogen/Argon	Nitrogen/Argon
Melting Time	12 Min	8 Min
Water Cooling System	Chiller	Chiller
Casting Mode	Auto/Manual	Auto/Manual
Chiller Capacity	6 Ton	3 Ton
Display Touch Controller	HMI & PLC	HMI & PLC
Vacuum Pump	1000 LPM	1000 LPM



CALL NOW

+91 75674 74350

Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
 Gondal Road, Rajkot - 360 004. Gujarat (India)
 mpower.induction@gmail.com  www.maxpowerinduction.in
 +91 99984 77474, +91 84699 61548

India's Most Compact

&

Portable Gold Refining Plant

NanoGold PRO

1 Kg.



FEATURES:

- Compact & Portable Nanogold Pro Refining Plant Is Designed For Efficiency And Mobility.
- Most Useful & Perfect For In-House Refining For Small Scale Jewellers.
- High Refining Capacity. Extracts Pure Gold With Precision.
- Portable Design. Lightweight And Easy To Transport & Install At Remote Locations.
- Eco Friendly. Minimizes Environmental Impact With Safe Refining Processes.
- User Friendly Operation. Simple Setup And Minimal Training Required.
- Ideal For Those Seeking A Reliable, Cost Effective Solution For Gold Purification On The Go.



CALL NOW

+91 99988 89332

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99988 89332, 97374 89332



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery

GRAPHITE CRUCIBLES PLAIN & BONDED AVAILABLE IN GLM & ISOSTATIC GRADES



**250 Gms. (Gold)
S & M - Type**



**500 Gms. (Gold)
S - Type**



**500 Gms. (Gold)
M - Type**



**1 Kg. (Gold)
S & M - Type**



**2 Kg. (Gold)
S & M - Type**



**4 Kg. (Gold)
S & M - Type**



**5 Kg. (Gold)
S & M - Type**



**10 Kg. (Gold)
S - Type**



**15 Kg. (Silver)
Size 170 x 220**



**30 Kg. (Gold)
S & M - Type**



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548



MAX POWER
INDUCTION



ADVANCED INDUCTION SYSTEMS

For Jewellery



ABS ORNAMENTS



BAJRANG SILVER



D.H. CASTING



J.J.J. JEWELLERS



SHREE MAHAVEER SILVER ART



SRI KRISHNA JEWELLERS



RAJDHAVAL PVT. LTD.



SHIVAM ORNAMENTS



V.G. GOLD



SHIV SILVER CASTING



SHREE JAGANNATHJI STERLING P. PVT. LTD.



S.R. PATEL ORNAMENTS PVT. LTD



J.P. PATEL ORNAMENTS



RMP JEWELLERS PVT. LTD.



B.H. ORNAMENTS



SHREEDIP SILVER



RAJ SILVER ORNAMENTS



V. JEWELS AGRA



NILKANTH SILVER



SHREE SILVER



CALL NOW

+91 75674 74350

🏠 Behind Rolex Ring Pvt. Ltd, Near Rajkamal Petrol Pump,
Gondal Road, Rajkot - 360 004. Gujarat (India)
✉ mpower.induction@gmail.com 🌐 www.maxpowerinduction.in
☎ +91 99984 77474, +91 84699 61548